

大阪ミガキ在庫表

目次

■SGD3M(SS400) 丸棒の部	P1 ~ P2
■SGD3M(SS400) 六角棒の部	P2
■SGD3M(SS400) 四角棒の部	P3
■SGD3M(SS400) 平角棒の部	P3 ~ P9
■S35C 丸棒の部	P9
■S45C 丸棒の部	P10 ~ P11
■S45C 六角棒の部	P11
■S45C 平角棒の部	P12 ~ P15
■S45C [Ⓜ] (HRC18 ~ 28 調質材)(素材硬度) 丸棒の部	P15
■S45CL(S45CF) 丸棒の部	P16
■S45CL(S45CF) 六角棒の部	P17
■SUM32L(M-3 相当) 丸棒の部	P17
■SUM23ML 丸棒の部	P18 ~ P19
■SUM23ML 六角棒の部	P19
■SUM23ML 四角棒の部	P20
■SUM24L 丸棒の部	P20
■SCM415(SCM21) 丸棒の部	P20 ~ P21
■SCM415L(SCM415F・SCM21F) 丸棒の部	P21 ~ P22
■SCM435(SCM3) 丸棒の部	P22
■SCM435L(SCM435F・SCM3F) 丸棒の部	P22 ~ P23
■SCM435 [Ⓜ] (HRC28 ~ 36 調質材)(素材硬度) 丸棒の部	P23
■SUS304 丸棒の部	P23 ~ P24
■SUS303 丸棒の部	P24
■SUS303 六角棒の部	P24
■SK4F-G(SK ロット) 丸棒の部	P25 ~ P26
■CC12C14(OM24CC) 丸棒の部	P27

■SGD3M(SS400)丸棒の部

寸法	吋	長さ(mm)	kg/m
3.00		2,000	0.056
3.50		2,000	0.076
4.00		2,000	0.099
4.50		2,000	0.125
5.00		2,000	0.154
5.25		2,000	0.170
6.00		2,950 4,000	0.222
7.00		2,950 4,000	0.302
7.10		2,950	0.311
7.50		2,950	0.347
8.00		2,950 4,000	0.395
9.00		2,950 4,000	0.499
9.52	3/8	2,950	0.560
10.00		2,950 4,000	0.617
10.20		2,950	0.642
10.75		2,950	0.713
11.00		2,950 4,000	0.746
12.00		2,950 4,000	0.888
12.70	1/2	3,500	0.997
13.00		2,950 4,000	1.040
14.00		2,950 4,000	1.210
14.60		2,950	1.314
15.00		2,950 4,000	1.390
15.87	5/8	2,950	1.550

寸法	吋	長さ(mm)	kg/m
16.00		2,950 4,000	1.580
17.00		2,950 4,000	1.780
18.00		2,950 4,000	2.000
19.00		2,950	2.230
20.00		2,950 4,000	2.470
21.00		2,950	2.720
22.00		2,950 4,000	2.980
23.00		2,950	3.260
24.00		2,950	3.550
25.00		2,950	3.850
26.00		2,950	4.170
27.00		2,950	4.490
28.00		2,950	4.830
30.00		6~6.5m 2,950	5.550
32.00		6~6.5m	6.310
35.00		6~6.5m	7.550
38.00		6~6.5m	8.900
40.00		6~6.5m	9.870
42.00		6~6.5m	10.900
45.00		6~6.5m	12.500
46.00		6~6.5m	13.000
48.00		6~6.5m	14.200
50.00		6~6.5m	15.400
55.00		6~6.5m	18.700

■SGD3M(SS400)丸棒の部

寸法	吋	長さ(mm)	kg/m
56.00		6~6.5m	19.333
60.00		6~6.5m	22.200
65.00		6~6.5m	26.000
70.00		6~6.5m	30.200
75.00		6~6.5m	34.700
80.00		6~6.5m	39.500

寸法	吋	長さ(mm)	kg/m
85.00		6~6.5m	44.500
90.00		6~6.5m	49.900
95.00		6~6.5m	55.600
100.00		6~6.5m	61.700
110.00		6~6.5m	74.600
120.00		6~6.5m	88.800

■SGD3M(SS400)六角棒の部

寸法	吋	長さ(mm)	kg/m
6.00		2,950	0.245
8.00		2,950	0.435
9.00		2,950	0.550
10.00		2,950	0.680
12.00		2,950	0.981
13.00		2,950	1.150
14.00		2,950	1.330
17.00		2,950	1.960
19.00		2,950	2.460
21.00		2,950	3.000

寸法	吋	長さ(mm)	kg/m
22.00		2,950	3.290
24.00		3.3~3.8m	3.920
26.00		3.3~3.8m	4.590
27.00		3.3~3.8m	4.950
30.00		3.3~3.8m	6.120
32.00		3.3~3.8m	6.960
35.00		3.3~3.8m	8.320
36.00		3.3~3.8m	8.810
41.00		3.3~3.8m	11.500
50.00		3.3~3.8m	17.000

■SGD3M(SS400)四角棒の部

寸法	吋	長さ(mm)	kg/m
5.00		2,000	0.196
6.00		3,000	0.283
7.00		4,000	0.385
8.00		4,000	0.502
9.00		4,000	0.636
10.00		4,000	0.785
11.00		4,000	0.950
12.00		4,000	1.130
13.00		4,000	1.327
14.00		4,000	1.540
15.00		4,000	1.770
16.00		4,000	2.010
18.00		4,000	2.540
19.00		4,000	2.830

寸法	吋	長さ(mm)	kg/m
20.00		4,000	3.140
22.00		4,000	3.800
25.00		4,000	4.910
30.00		4,000	7.070
32.00		4,000	8.040
35.00		4,000	9.620
38.00		4,000	11.300
40.00		4,000	12.600
50.00		4,000	19.600
55.00		4,000	23.700
60.00		4,000	28.300

■SGD3M(SS400)平角棒の部

寸法	吋	長さ(mm)	kg/m
3X9		3,000	0.212
3X13		3,000	0.306
3X16		3,000	0.377
3X19		3,000	0.447
3X22		3,000	0.518
3X25		4,000	0.589

寸法	吋	長さ(mm)	kg/m
3X32		4,000	0.754
3X38		4,000	0.895
3X50		4,000	1.180
4X16		3,000	0.502
4X32		4,000	1.004

■SGD3M(SS400)平角棒の部

寸法	吋	長さ(mm)	kg/m
4.5X9		4,000	0.318
4.5X13		3,000	0.459
4.5X16		3,000	0.565
4.5X19		3,000	0.671
4.5X22		3,000	0.777
4.5X25		4,000	0.883
4.5X32		4,000	1.130
4.5X38		4,000	1.340
4.5X50		4,000	1.770
4.5X65		4,000	2.296
4.5X100		4,000	3.532
4.5X125		4,000	4.415
4.5X150		4,000	5.298
4.5X180		4,000	6.358
4.5X200		4,000	7.065
5X13		4,000	0.510
5X16		4,000	0.628
5X19		4,000	0.746
5X22		4,000	0.864
5X25		4,000	0.981
5X30		4,000	1.178
5X32		4,000	1.256
5X38		4,000	1.492

寸法	吋	長さ(mm)	kg/m
5X44		4,000	1.730
5X50		4,000	1.963
6X9		4,000	0.424
6X10		4,000	0.466
6X12		4,000	0.578
6X13		3,000	0.612
6X16		3,000	0.754
6X19		3,000	0.859
6X20		3,500	0.932
6X22		4,000	1.040
6X25		4,000	1.180
6X32		4,000	1.510
6X38		4,000	1.790
6X44		4,000	2.072
6X50		4,000	2.360
6X60		4,000	2.826
6X65		4,000	3.060
6X75		4,000	3.530
6X90		4,000	4.239
6X100		4,000	4.710
6X125		4,000	5.888
6X150		4,000	7.065
6X180		4,000	8.478

■SGD3M(SS400)平角棒の部

寸法	吋	長さ(mm)	kg/m
6X200		4,000	9.420
6X300		4,000	14.130
6X350		4,000	16.485
6X400		4,000	18.840
8X10		4,000	0.628
8X12		4,000	0.754
8X13		4,000	0.816
8X16		4,000	1.004
8X19		4,000	1.193
8X22		4,000	1.381
8X25		4,000	1.570
8X30		4,000	1.884
8X32		4,000	2.009
8X40		4,000	2.512
8X50		4,000	3.140
9X12		4,000	0.848
9X13		4,000	0.918
9X16		4,000	1.130
9X19		4,000	1.340
9X22		4,000	1.550
9X25		4,000	1.770
9X32		4,000	2.260

寸法	吋	長さ(mm)	kg/m
9X38		4,000	2.680
9X44		4,000	3.108
9X50		4,000	3.530
9X60		4,000	4.239
9X65		4,000	4.590
9X75		4,000	5.300
9X90		4,000	6.358
9X100		4,000	7.070
9X125		4,000	8.831
9X150		4,000	10.600
9X180		4,000	12.717
9X200		4,000	14.130
9X250		4,000	17.662
9X300		4,000	21.195
9X350		4,000	24.728
9X400		4,000	28.260
9X450		4,000	31.792
10X12		4,000	0.942
10X13		4,000	1.020
10X15		4,000	1.178
10X16		4,000	1.256
10X20		4,000	1.570
10X22		4,000	1.727

■SGD3M(SS400)平角棒の部

寸法	吋	長さ(mm)	kg/m
10X25		4,000	1.963
10X30		4,000	2.355
10X32		4,000	2.512
10X38		4,000	2.983
10X40		4,000	3.140
10X50		4,000	3.925
10X60		4,000	4.710
10X65		4,000	5.103
10X75		4,000	5.888
10X90		4,000	7.065
10X100		4,000	7.850
10X125		4,000	9.812
10X150		4,000	11.775
10X200		4,000	15.700
10X250		4,000	19.625
10X300		4,000	23.555
12X16		4,000	1.500
12X19		4,000	1.790
12X22		4,000	2.070
12X25		4,000	2.360
12X32		4,000	3.010
12X38		4,000	3.580
12X44		4,000	4.145

寸法	吋	長さ(mm)	kg/m
12X50		4,000	4.710
12X60		4,000	5.652
12X65		4,000	6.120
12X75		4,000	7.070
12X90		4,000	8.478
12X100		4,000	9.420
12X125		4,000	11.780
12X150		4,000	14.130
12X180		4,000	16.956
12X200		4,000	18.840
12X250		4,000	23.550
12X300		4,000	28.260
12X350		4,000	32.970
12X400		4,000	37.680
12X450		4,000	42.390
16X19		4,000	2.386
16X22		4,000	2.763
16X25		4,000	3.140
16X32		4,000	4.020
16X38		4,000	4.772
16X44		4,000	5.526
16X50		4,000	6.280
16X60		4,000	7.536

■SGD3M(SS400)平角棒の部

寸法	吋	長さ(mm)	kg/m
16X65		4,000	8.160
16X75		4,000	9.420
16X90		4,000	11.304
16X100		4,000	12.600
16X125		4,000	15.700
16X150		4,000	18.840
16X180		4,000	22.608
16X200		4,000	25.120
16X250		4,000	31.400
16X300		4,000	37.680
16X350		4,000	43.960
16X400		4,000	50.240
16X450		4,000	56.520
19X22		4,000	3.282
19X25		4,000	3.730
19X32		4,000	4.770
19X38		4,000	5.670
19X44		4,000	6.563
19X50		4,000	7.460
19X60		4,000	8.949
19X65		4,000	9.690
19X75		4,000	11.200
19X90		4,000	13.424

寸法	吋	長さ(mm)	kg/m
19X100		4,000	14.900
19X125		4,000	18.600
19X150		4,000	22.400
19X180		4,000	26.847
19X200		4,000	29.830
19X250		4,000	37.288
19X300		4,000	44.745
19X350		4,000	52.203
19X400		4,000	59.660
19X450		4,000	67.117
22X25		4,000	4.318
22X32		4,000	5.526
22X38		4,000	6.563
22X50		4,000	8.635
22X60		4,000	10.362
22X65		4,000	11.226
22X75		4,000	12.953
22X90		4,000	15.543
22X100		4,000	17.270
22X125		4,000	21.588
22X150		4,000	25.905
22X180		4,000	31.086
22X200		4,000	34.540

■SGD3M(SS400)平角棒の部

寸法	吋	長さ(mm)	kg/m
22X250		4,000	43.175
22X300		4,000	51.810
22X350		4,000	60.445
22X400		4,000	69.080
25X32		4,000	6.300
25X38		4,000	7.500
25X44		4,000	8.624
25X50		4,000	9.800
25X60		4,000	11.775
25X65		4,000	12.800
25X75		4,000	14.700
25X90		4,000	17.663
25X100		4,000	19.600
25X125		4,000	24.500
25X150		4,000	29.400
25X180		4,000	35.325
25X200		4,000	39.250
25X250		4,000	49.063
25X300		4,000	58.875
25X350		4,000	68.687
25X400		4,000	78.500
25X450		4,000	88.312

寸法	吋	長さ(mm)	kg/m
30X50		4,000	11.775
30X65		4,000	15.308
30X75		4,000	17.663
30X100		4,000	23.550
30X125		4,000	29.438
30X150		4,000	35.325
30X200		4,000	47.100
30X250		4,000	58.875
30X300		4,000	70.650
30X350		4,000	82.425
30X400		4,000	94.200
30X450		4,000	105.975
32X50		4,000	12.560
32X65		4,000	16.328
32X75		4,000	18.840
32X100		4,000	25.150
32X125		4,000	31.400
32X150		4,000	37.680
32X200		4,000	50.300
32X250		4,000	62.800
32X300		4,000	75.450
32X350		4,000	87.920
32X400		4,000	100.480

■SGD3M(SS400)平角棒の部

寸法	吋	長さ(mm)	kg/m
32X450		4,000	113.040
38X50		4,000	14.915
38X65		4,000	19.390
38X75		4,000	22.373
38X100		4,000	29.830
38X125		4,000	37.288
38X150		4,000	44.745
38X200		4,000	59.660
38X250		4,000	74.576
38X300		4,000	89.490
38X350		4,000	104.405
38X450		4,000	119.320

寸法	吋	長さ(mm)	kg/m
50X65		4,000	25.512
50X75		4,000	29.438
50X100		4,000	39.250
50X125		4,000	49.062
50X150		4,000	58.875
50X200		4,000	78.500
50X250		4,000	98.125
50X300		4,000	117.750

■S35C 丸棒の部

寸法	吋	長さ(mm)	kg/m
6.00		2,950	0.222
7.00		2,950	0.302
8.00		2,950	0.395
10.00		2,950	0.617
11.00		2,950	0.746
12.00		2,950	0.888
14.00		2,950	1.210
15.00		2,950	1.390

寸法	吋	長さ(mm)	kg/m
16.00		2,950	1.580
18.00		2,950	2.000
20.00		2,950	2.470
22.00		2,950	2.980
23.00		2,950	3.260
25.00		2,950	3.850
30.00		2,950	5.550

■S45C 丸棒の部

寸法	吋	長さ(mm)	kg/m
4.00		2,000	0.099
5.00		2,000	0.154
5.25		2,000	0.170
6.00		2,950	0.222
6.20		2,950	0.237
7.00		2,950	0.302
8.00		2,950	0.395
8.20		2,950	0.415
9.00		2,950	0.499
10.00		2,950	0.617
10.10		2,950	0.629
12.00		2,950	0.888
12.20		2,950	0.917
13.00		2,950	1.040
14.00		2,950	1.210
14.20		2,950	1.244
15.00		2,950	1.390
16.00		2,950	1.580
16.20		2,950	1.619
17.00		2,950	1.780
17.20		2,950	1.825
18.00		2,950	2.000
19.00		2,950	2.230
20.00		2,950	2.470

寸法	吋	長さ(mm)	kg/m
20.20		2,950	2.518
21.00		2,950	2.720
22.00		2,950	2.980
22.22	7/8	2,950	3.050
23.00		2,950	3.260
24.00		2,950	3.550
25.00		2,950 6.0~6.5m	3.850
25.20		6.0~6.5m	3.918
25.40	1	6.0~6.5m	3.980
26.00		2,950 6.0~6.5m	4.170
27.00		2,950 6.0~6.5m	4.490
28.00		2,950 6.0~6.5m	4.830
30.00		3.0~3.3m 6.0~6.5m	5.550
30.20		6.0~6.5m	5.627
32.00		2,950 6.0~6.5m	6.310
33.00		6.0~6.5m	6.710
34.00		2,950	7.130
35.00		2,950	7.550
35.20		6.0~6.5m	7.645
36.00		2,950	7.990
38.00		2,950	8.900
40.00		2,950 6.0~6.5m	9.870
40.20		6.0~6.5m	9.971
42.00		2,950	10.900

■S45C 丸棒の部

寸法	吋	長さ(mm)	kg/m
44.00		2,950	11.900
45.00		2,950 6.0~6.5m	12.500
45.20		6.0~6.5m	12.606
46.00		2,950 6.0~6.5m	13.000
48.00		6.0~6.5m	14.200
50.00		2,950 3.0~3.3m	15.400
50.20		6.0~6.5m	15.549
52.00		6.0~6.5m	16.700
55.00		2,950 6.0~6.5m	18.700
55.20		6.0~6.5m	18.785
60.00		6.0~6.5m	22.200

寸法	吋	長さ(mm)	kg/m
60.20		6.0~6.5m	22.360
65.00		6.0~6.5m	26.000
70.00		6.0~6.5m	30.200
75.00		6.0~6.5m	34.700
80.00		6.0~6.5m	39.500
85.00		6.0~6.5m	44.500
90.00		6.0~6.5m	49.900
95.00		6.0~6.5m	55.600
100.00		6.0~6.5m	61.700
110.00		6.0~6.5m	74.600
120.00		6.0~6.5m	88.800

■S45C 六角棒の部

寸法	吋	長さ(mm)	kg/m
8.00		2,950	0.435
10.00		2,950	0.680
12.00		2,950	0.981
14.00		2,950	1.330
19.00		2,950	2.460
21.00		2,950	3.000
22.00		2,950	3.290
24.00		2,950	3.920

寸法	吋	長さ(mm)	kg/m
26.00		2,950	4.590
27.00		2,950	4.950
30.00		2,950	6.120
32.00		2,950	6.960
36.00		2,950	8.810
41.00		2,950	11.500
46.00		2,950	14.400

■S45C 平角棒の部

寸法	吋	長さ(mm)	kg/m
3X13		2,000	0.306
3X16		3,000	0.376
3X19		3,000	0.447
3X22		3,000	0.518
3X25		4,000	0.589
3X32		4,000	0.754
3X38		4,000	0.895
3X50		4,000	1.180
4.5X13		3,000	0.459
4.5X16		3,000	0.565
4.5X19		3,000	0.671
4.5X22		3,500	0.778
4.5X25		3,500	0.883
4.5X32		3,500	1.130
4.5X38		3,500	1.340
4.5X50		3,500	1.770
6X13		3,000	0.612
6X16		4,000	0.754
6X19		4,000	0.895
6X22		4,000	1.040
6X25		4,000	1.180
6X32		4,000	1.510

寸法	吋	長さ(mm)	kg/m
6X38		4,000	1.790
6X44		4,000	2.072
6X50		4,000	2.360
6X60		4,000	2.826
6X65		4,000	3.060
6X75		4,000	3.530
6X90		4,000	4.239
6X100		4,000	4.710
6X125		4,000	5.888
6X150		4,000	7.080
9X16		4,000	1.130
9X19		4,000	1.340
9X22		4,000	1.550
9X25		4,000	1.770
9X32		4,000	2.260
9X38		4,000	2.680
9X44		4,000	3.110
9X50		4,000	3.530
9X60		4,000	4.239
9X65		4,000	4.590
9X75		4,000	5.300
9X90		4,000	6.363
9X100		4,000	7.070

■S45C 平角棒の部

寸法	吋	長さ(mm)	kg/m
9X125		4,000	8.831
9X150		4,000	10.598
9X200		4,000	14.140
9X250		4,000	17.662
9X300		4,000	21.195
12X16		4,000	1.500
12X19		4,000	1.790
12X22		4,000	2.070
12X25		4,000	2.360
12X32		4,000	3.010
12X38		4,000	3.580
12X44		4,000	4.140
12X50		4,000	4.170
12X60		4,000	5.652
12X65		4,000	6.120
12X75		4,000	7.070
12X90		4,000	8.478
12X100		4,000	9.420
12X125		4,000	11.780
12X150		4,000	14.130
12X200		4,000	18.840
12X250		4,000	23.550
12X300		4,000	28.260

寸法	吋	長さ(mm)	kg/m
16X19		4,000	2.386
16X22		4,000	2.763
16X25		4,000	3.140
16X32		4,000	4.020
16X38		4,000	4.770
16X44		4,000	5.544
16X50		4,000	6.280
16X60		4,000	7.536
16X65		4,000	8.160
16X75		4,000	9.420
16X90		4,000	11.340
16X100		4,000	12.600
16X125		4,000	15.700
16X150		4,000	18.840
16X200		4,000	25.200
16X250		4,000	31.400
16X300		4,000	37.680
19X22		4,000	3.278
19X25		4,000	3.730
19X32		4,000	4.770
19X38		4,000	5.670
19X44		4,000	6.556
19X50		4,000	7.460

■S45C 平角棒の部

寸法	吋	長さ(mm)	kg/m
19X60		4,000	8.949
19X65		4,000	9.690
19X75		4,000	11.200
19X90		4,000	13.410
19X100		4,000	14.900
19X125		4,000	18.600
19X150		4,000	22.373
19X200		4,000	29.800
19X250		4,000	37.287
19X300		4,000	44.745
22X25		4,000	4.318
22X32		4,000	5.526
22X38		4,000	6.563
22X50		4,000	8.635
22X65		4,000	11.226
22X75		4,000	12.953
22X100		4,000	17.270
22X150		4,000	25.905
22X200		4,000	34.540
25X32		4,000	6.300
25X38		4,000	7.500
25X50		4,000	9.800

寸法	吋	長さ(mm)	kg/m
25X60		4,000	11.775
25X65		4,000	12.800
25X75		4,000	14.700
25X90		4,000	17.663
25X100		4,000	19.600
25X125		4,000	24.500
25X150		4,000	29.438
25X200		4,000	39.250
25X250		4,000	49.062
25X300		4,000	58.875
30X50		4,000	11.775
30X65		4,000	15.308
30X75		4,000	17.663
30X100		4,000	23.550
30X125		4,000	29.437
30X150		4,000	35.325
32X50		4,000	12.560
32X65		4,000	16.328
32X75		4,000	18.840
32X100		4,000	25.150
32X125		4,000	31.400
32X150		4,000	37.680

■S45C 平角棒の部

寸法	吋	長さ(mm)	kg/m
38X50		4,000	14.915
38X65		4,000	19.390
38X75		4,000	22.373
38X100		4,000	29.830
38X125		4,000	37.287
38X150		4,000	44.745

寸法	吋	長さ(mm)	kg/m
50X65		4,000	25.512
50X75		4,000	29.437
50X100		4,000	39.250

■S45C(H)(HRC18~28調質材)(素材硬度)丸棒の部

寸法	吋	長さ(mm)	kg/m
10.00		2,950	0.617
12.00		2,950	0.888
13.00		2,950	1.040
14.00		2,950	1.210
15.00		2,950	1.390
16.00		2,950	1.580
17.00		2,950	1.780
18.00		2,950	2.000
20.00		3~3.5m	2.470
22.00		3~3.5m	2.980
23.00		3~3.5m	3.261
25.00		3~3.5m	3.850

寸法	吋	長さ(mm)	kg/m
28.00		3~3.5m	4.830
30.00		3~3.5m	5.550
32.00		3~3.5m	6.310
34.00		3~3.5m	7.130
35.00		3~3.5m	7.550
36.00		3~3.5m	7.990
38.00		3~3.5m	8.900
50.00		3~3.5m	15.400
60.00		3~3.5m	22.200
65.00		3~3.5m	26.047
70.00		3~3.5m	30.208

■S45CL(S45CF) 丸棒の部

寸法	吋	長さ(mm)	kg/m
4.00		2,950	0.099
5.00		2,950	0.154
6.00		2,950	0.222
7.00		2,950	0.302
8.00		2,950	0.395
8.20		2,950	0.414
9.00		2,950	0.499
10.00		2,950	0.617
10.10		2,950	0.629
10.20		2,950	0.642
11.00		2,950	0.746
12.00		2,950	0.888
12.10		2,950	0.903
12.20		2,950	0.918
13.00		2,950	1.040
13.10		2,950	1.057
14.00		2,950	1.210
14.20		2,950	1.243
15.00		2,950	1.390
15.10		2,950	1.407
16.00		2,950	1.580
16.20		2,950	1.619
17.00		2,950	1.783
18.00		2,950	2.000

寸法	吋	長さ(mm)	kg/m
18.20		2,950	2.043
19.00		2,950	2.460
20.00		2,950	2.470
20.20		2,950	2.518
21.00		2,950	2.720
22.00		2,950	2.980
23.00		2,950	3.260
24.00		2,950	3.550
25.00		3~3.5m	3.850
26.00		3~3.5m	4.170
28.00		3~3.5m	4.830
30.00		3~3.5m	5.558
32.00		3~3.5m	6.310
34.00		3~3.5m	7.130
35.00		3~3.5m	7.550
36.00		3~3.5m	7.990
38.00		3~3.5m	8.900
40.00		3~3.5m	9.870
42.00		3~3.5m	10.900
45.00		3~3.5m	12.500
50.00		3~3.5m	15.400

■S45CL(S45CF) 六角棒の部

寸法	吋	長さ(mm)	kg/m
12.00		2,950	0.981
13.00		2,950	1.150
14.00		2,950	1.330
17.00		2,950	1.960
19.00		2,950	2.460

寸法	吋	長さ(mm)	kg/m
21.00		2,950	3.000
22.00		2,950	3.290
24.00		2,950	3.620
27.00		3~3.5m	4.950
32.00		3~3.5m	6.960

■SUM32L(M-3相当) 丸棒の部

寸法	吋	長さ(mm)	kg/m
6.00		2,950	0.222
8.00		2,950	0.395
10.00		2,950	0.617
11.00		2,950	0.746
12.00		2,950	0.888
13.00		2,950	1.040
14.00		2,950	1.210
15.00		2,950	1.390
16.00		2,950	1.580
17.00		2,950	1.780
18.00		2,950	2.000
19.00		2,950	2.230
20.00		2,950	2.470
22.00		2,950	2.980
24.00		2,950	3.550

寸法	吋	長さ(mm)	kg/m
25.00		3~3.5m	3.850
26.00		3~3.5m	4.170
27.00		3~3.5m	4.490
28.00		3~3.5m	4.830
30.00		3~3.5m	5.550
32.00		3~3.5m	6.310
34.00		3~3.5m	7.130
35.00		3~3.5m	7.550
36.00		3~3.5m	7.990
38.00		3~3.5m	8.900
40.00		3~3.5m	9.870
42.00		3~3.5m	10.900
45.00		3~3.5m	12.500
50.00		3~3.5m	15.400
55.00		3~3.5m	18.700

■SUM23ML 丸棒の部

寸法	吋	長さ(mm)	kg/m
3.00		2,000	0.056
4.00		2,000	0.099
4.50		2,000	0.125
5.00		2,000	0.154
5.25		2,000	0.170
6.00		2,950	0.222
6.50		2,950	0.261
7.00		2,950	0.302
7.10		2,950	0.311
7.50		2,950	0.347
8.00		2,950	0.395
8.10		2,950	0.405
8.50		2,950	0.445
9.00		2,950	0.499
9.52	3/8	2,950	0.560
10.00		2,950	0.617
10.10		2,950	0.630
10.50		2,950	0.680
11.00		2,950	0.746
11.50		2,950	0.816
12.00		2,950	0.888
12.70	1/2	2,950	0.997
13.00		2,950	1.040
14.00		2,950	1.210

寸法	吋	長さ(mm)	kg/m
15.00		2,950	1.390
15.87	5/8	2,950	1.550
16.00		2,950	1.580
17.00		2,950	1.780
18.00		2,950	2.000
19.00		2,950	2.230
20.00		2,950	2.470
21.00		2,950	2.720
22.00		2,950	2.980
23.00		2,950	3.260
24.00		2,950	3.550
25.00		2,950	3.850
26.00		2,950	4.170
27.00		2,950	4.490
28.00		2,950	4.830
28.57	1-1/8	2,950	5.030
30.00		2,950	5.550
32.00		2,950	6.310
34.00		2,950	7.130
35.00		2,950	7.550
36.00		2,950	7.990
38.00		2,950	8.900
40.00		2,950	9.870
42.00		2,950	10.900

■SUM23ML 丸棒の部

寸法	吋	長さ(mm)	kg/m
44.00		2,950	11.900
45.00		2,950	12.500
46.00		2,950	13.000
48.00		2,950	14.200
50.00		2,950	15.400
52.00		2,950	16.700

寸法	吋	長さ(mm)	kg/m
55.00		2,950	18.700
60.00		2,950	22.200
65.00		2,950	26.000
70.00		2,950	30.200
75.00		2,950	34.700

■SUM23ML 六角棒の部

寸法	吋	長さ(mm)	kg/m
5.00		2,000	0.170
5.50		2,000	0.207
6.00		2,950	0.245
7.00		2,950	0.333
8.00		2,950	0.435
9.00		2,950	0.550
10.00		2,950	0.680
12.00		2,950	0.981
13.00		2,950	1.150
14.00		2,950	1.330
17.00		2,950	1.980

寸法	吋	長さ(mm)	kg/m
19.00		2,950	2.473
21.00		2,950	3.000
22.00		3~3.5m	3.299
24.00		3~3.5m	3.920
26.00		3~3.5m	4.590
27.00		3~3.5m	4.950
30.00		3~3.5m	6.120
32.00		3~3.5m	6.960
35.00		3~3.5m	8.320
36.00		3~3.5m	8.810
41.00		3~3.5m	11.500

■SUM23ML 四角棒の部

寸法	吋	長さ(mm)	kg/m
5.00		3,000	0.196
6.00		3,000	0.283
8.00		3,000	0.502

寸法	吋	長さ(mm)	kg/m
10.00		3,000	0.783
12.00		3,000	1.130
16.00		3,000	2.010

■SUM24L 丸棒の部

寸法	吋	長さ(mm)	kg/m
6.00		2,950	0.222
8.00		2,950	0.395
10.00		2,950	0.617
12.00		2,950	0.888
13.00		2,950	1.040

寸法	吋	長さ(mm)	kg/m
14.00		2,950	1.210
16.00		2,950	1.580
17.00		2,950	1.780
18.00		2,950	2.000
20.00		2,950	2.470

■SCM415(SCM21)丸棒の部

寸法	吋	長さ(mm)	kg/m
8.20		2,950	0.415
9.20		2,950	0.522
10.00		2,950	0.617
10.20		2,950	0.642
12.20		2,950	0.918
14.00		2,950	1.210
14.20		2,950	1.243
15.00		2,950	1.390
15.20		2,950	1.424
16.00		2,950	1.580
16.20		2,950	1.619

寸法	吋	長さ(mm)	kg/m
18.00		2,950	2.000
18.20		2,950	2.043
19.00		2,950	2.230
20.00		2,950	2.470
20.30		2,950	2.540
22.00		2,950	2.980
23.00		3~3.5m	3.260
24.00		3~3.5m	3.550
24.20		3~3.5m	3.610
25.00		3~3.5m	3.850
25.20		3~3.5m	3.918

■SCM415(SCM21)丸棒の部

寸法	吋	長さ(mm)	kg/m
26.00		3~3.5m	4.170
26.20		3~3.5m	4.235
28.00		3~3.5m	4.830
28.20		3~3.5m	4.906
30.00		3~3.5m	5.550
30.20		3~3.5m	5.627

寸法	吋	長さ(mm)	kg/m
32.00		3~3.5m	6.310
40.00		3~3.5m	9.870
42.00		3~3.5m	10.900
48.00		3~3.5m	14.204
50.00		3~3.5m	15.412

■SCM415L(SCM415F・SCM21F)丸棒の部

寸法	吋	長さ(mm)	kg/m
6.20		2,950	0.237
8.20		2,950	0.415
9.20		2,950	0.522
10.00		2,950	0.617
10.20		2,950	0.642
11.00		2,950	0.746
12.00		2,950	0.888
12.20		2,950	0.918
13.00		2,950	1.040
13.20		2,950	1.075
14.00		2,950	1.210
14.20		2,950	1.244
15.00		2,950	1.390
15.20		2,950	1.426
16.00		2,950	1.580

寸法	吋	長さ(mm)	kg/m
16.20		2,950	1.619
17.00		2,950	2.230
18.00		2,950	2.000
19.00		2,950	2.230
20.00		2,950	2.470
20.20		2,950	2.518
22.00		2,950	2.980
22.20		2,950	3.050
23.00		2,950	3.260
24.00		2,950	3.550
25.20		2,950	3.918
27.00		2,950	4.490
28.00		2,950	4.830
30.00		2,950	5.550
32.00		2,950	6.310

■SCM415L(SCM415F・SCM21F)丸棒の部

寸法	吋	長さ(mm)	kg/m
34.00		2,950	7.130

寸法	吋	長さ(mm)	kg/m
38.00		2,950	8.900

■SCM435(SCM3)丸棒の部

寸法	吋	長さ(mm)	kg/m
6.00		2,950	0.222
6.20		2,950	0.237
7.00		2,950	0.302
8.00		2,950	0.395
8.20		2,950	0.415
9.00		2,950	0.499
10.00		2,950	0.617
10.20		2,950	0.642
11.00		2,950	0.746
12.00		2,950	0.888
13.00		2,950	1.040
14.00		2,950	1.210
14.20		2,950	1.244

寸法	吋	長さ(mm)	kg/m
15.00		2,950	1.390
16.00		2,950	1.580
16.20		2,950	1.619
18.00		2,950	2.000
19.00		2,950	2.230
20.00		2,950	2.470
22.00		2,950	2.980
24.00		2,950	3.550
25.00		3~3.5m	3.850
28.00		3~3.5m	4.830
30.00		3~3.5m	5.550
32.00		3~3.5m	6.310
40.00		3~3.5m	9.870

■SCM435L(SCM435F・SCM3F)丸棒の部

寸法	吋	長さ(mm)	kg/m
6.00		2,950	0.222
8.00		2,950	0.395
9.00		2,950	0.499
10.00		2,950	0.617
11.00		2,950	0.746

寸法	吋	長さ(mm)	kg/m
12.00		2,950	0.888
13.00		2,950	1.040
14.00		2,950	1.210
15.00		2,950	1.390
16.00		2,950	1.580

■SCM435L(SCM435F・SCM3F)丸棒の部

寸法	吋	長さ(mm)	kg/m
18.00		2,950	2.000
19.00		2,950	2.230

寸法	吋	長さ(mm)	kg/m
20.00		2,950	2.470
22.00		2,950	2.980

■SCM435(H)(HRC28～36調質材)(素材硬度)丸棒の部

寸法	吋	長さ(mm)	kg/m
10.00		2,950	0.617
12.00		2,950	0.888
14.00		3～3.5m	1.210
15.00		3～3.5m	1.390
16.00		3～3.5m	1.580
17.00		3～3.5m	1.783
18.00		3～3.5m	2.000
20.00		3～3.5m	2.470

寸法	吋	長さ(mm)	kg/m
22.00		3～3.5m	2.980
28.00		3～3.5m	4.830
30.00		3～3.5m	5.558
36.00		3～3.5m	7.990
40.00		3～3.5m	9.870
42.00		3～3.5m	10.900
45.00		3～3.5m	12.500

■SUS304 丸棒の部

寸法	吋	長さ(mm)	kg/m
3.00		2,000	0.056
4.00		2,000	0.100
5.00		2,000	0.156
6.00		2,000	0.224
7.00		2,000	0.305
8.00		2,000	0.399
9.00		2,000	0.504

寸法	吋	長さ(mm)	kg/m
10.00		3,000	0.620
11.00		3,000	0.750
12.00		3,000	0.890
13.00		3,000	1.050
14.00		3,000	1.220
15.00		3,000	1.400
16.00		3,000	1.590

■ SUS304 丸棒の部

寸法	吋	長さ(mm)	kg/m
18.00		3,000	2.010
20.00		3,000	2.490

寸法	吋	長さ(mm)	kg/m
22.00		2.5~3m	3.010
25.00		2.5~3m	3.890

■ SUS303 丸棒の部

寸法	吋	長さ(mm)	kg/m
3.00		2,000	0.056
4.00		2,000	0.100
5.00		2,000	0.156
6.00		2,000	0.224
7.00		2,000	0.305
8.00		2,000	0.399
9.00		2,000	0.504
10.00		2,000	0.620
11.00		3,000	0.750

寸法	吋	長さ(mm)	kg/m
12.00		3,000	0.890
13.00		3,000	1.050
14.00		3,000	1.220
15.00		3,000	1.400
16.00		3,000	1.590
18.00		3,000	2.010
20.00		3,000	2.490
22.00		2.5~3m	3.010
25.00		2.5~3m	3.890

■ SUS303 六角棒の部

寸法	吋	長さ(mm)	kg/m
7.00		3.3~3.6m	0.337
8.00		3.3~3.6m	0.440
10.00		3.3~3.6m	0.687
12.00		3.3~3.6m	0.989

寸法	吋	長さ(mm)	kg/m
13.00		3.3~3.6m	1.160
14.00		3.3~3.6m	1.346
17.00		3.3~3.6m	1.985
19.00		3.3~3.6m	2.479

■SK4F-G(SKロット) 丸棒の部

寸法	吋	長さ(mm)	kg/m
1.50		2,000	0.014
1.60		2,000	0.016
2.00		2,000	0.025
2.30		2,000	0.033
2.40		2,000	0.036
2.50		2,000	0.039
2.60		2,000	0.042
2.90		2,000	0.052
3.00		2,000	0.056
3.10		2,000	0.059
3.50		2,000	0.076
3.60		2,000	0.080
3.80		2,000	0.089
3.90		2,000	0.094
4.00		2,000	0.099
4.10		2,000	0.104
4.20		2,000	0.109
4.40		2,000	0.119
4.50		2,000	0.125
4.60		2,000	0.131
4.90		2,000	0.148
5.00		2,000	0.154
5.10		2,000	0.160
5.20		2,000	0.167

寸法	吋	長さ(mm)	kg/m
5.30		2,000	0.173
5.50		2,000	0.187
5.60		2,000	0.193
5.80		2,000	0.208
6.00		2,000	0.222
6.10		2,000	0.230
6.20		2,000	0.237
6.30		2,000	0.245
6.40		2,000	0.253
6.50		2,000	0.261
6.60		2,000	0.269
7.00		2,000	0.302
7.10		2,000	0.311
7.20		2,000	0.320
8.00		2,000	0.395
8.10		2,000	0.405
8.20		2,000	0.415
8.30		2,000	0.425
9.00		2,000	0.499
10.00		2,000	0.617
10.10		2,000	0.629
10.50		2,000	0.680
11.00		2,000	0.746
11.20		2,000	0.774

■SK4F-G(SKロット) 丸棒の部

寸法	吋	長さ(mm)	kg/m
11.50		2,000	0.816
12.00		2,000	0.888
12.10		2,000	0.903
12.20		2,000	0.918
12.50		2,000	0.964
13.00		2,000	1.040
14.00		2,000	1.209
15.00		2,000	1.388
16.00		2,000	1.580
17.00		2,000	1.780
18.00		2,000	2.000
19.00		2,000	2.230

寸法	吋	長さ(mm)	kg/m
20.00		2,000	2.470
22.00		2,000	2.980
24.00		2,000	3.550
25.00		2,000	3.850
26.00		2,000	4.170
28.00		2,000	4.830
30.00		2,000	5.550
32.00		2,000	6.310
35.00		2,000	7.550
40.00		2,000	9.870
50.00		2,000	15.400

■ CC12C14(OM24CC) 丸棒の部

クリーンカットクロム快削鋼

環境に優しい新タイプの非鉛快削鋼！！

寸法	吋	長さ(mm)	kg/m
6.00		2,950	0.222
7.00		2,950	0.302
8.00		2,950	0.395
9.00		2,950	0.499
10.00		2,950	0.617
11.00		2,950	0.746
12.00		2,950	0.888
13.00		2,950	1.040
15.00		2,950	1.390
16.00		2,950	1.580
18.00		2,950	2.000

寸法	吋	長さ(mm)	kg/m
19.00		2,950	2.230
20.00		2,950	2.470
22.00		2,950	2.980
23.00		2,950	3.260
25.00		2,950	3.850
28.00		2,950	4.830
30.00		2,950	5.550
32.00		2,950	6.310
34.00		2,950	7.130
36.00		2,950	7.990