

在庫表

大阪ミガキ株式会社 在庫表更新日 / 2024年2月

| | |
|---|-----------|
| ■ SGD3 M (SS400) 丸棒の部 | P 2 |
| ■ SGD3 M (SS400) 六角棒の部 | P 3 |
| ■ SGD3 M (SS400) 四角棒の部 | P 3 |
| ■ SGD3 M (SS400) 平角棒の部 | P 4 ~ P 6 |
| ■ S35C 丸棒の部 | P 7 |
| ■ S45C 丸棒の部 | P 8 |
| ■ S45C 六角棒の部 | P 9 |
| ■ S45C ⊕ (HRC13.8 ~ 27.6 調質材) (素材硬度) 丸棒の部 | P 9 |
| ■ S45CL (S45CF) 丸棒の部 | P 10 |
| ■ S45CL (S45CF) 六角棒の部 | P 10 |
| ■ SUM32L (M-3 相当) 丸棒の部 | P 11 |
| ■ SUM23ML 丸棒の部 | P 11 |
| ■ SUM23ML 六角棒の部 | P 12 |
| ■ SUM24L 丸棒の部 | P 12 |
| ■ SUM22 丸棒の部 | P 12 |
| ■ SCM415 (SCM21) 丸棒の部 | P 13 |
| ■ SCM415L (SCM415F・SCM21F) 丸棒の部 | P 13 |
| ■ SCM435 (SCM3) 丸棒の部 | P 14 |
| ■ SCM435L (SCM435F・SCM3F) 丸棒の部 | P 14 |
| ■ SCM435 ⊕ (HRC27.6 ~ 35.5 調質材) (素材硬度) 丸棒の部 | P 15 |
| ■ SUS304 丸棒の部 | P 15 |
| ■ SUS303 丸棒の部 | P 15 |
| ■ SK4F-G (SK ロット) 丸棒の部 | P 16 |
| ■ CC12C14 (OM24CC) 丸棒の部 | P 16 |

SGD3 M (SS400) 丸棒の部

| 寸法 | 長さ (mm) | kg/m |
|-------|----------------|-------|
| 3.00 | 2,000 | 0.056 |
| 4.00 | 2,000 | 0.099 |
| 5.00 | 2,000 | 0.154 |
| 6.00 | 3,000 4,000 | 0.222 |
| 7.00 | 3,000 4,000 | 0.302 |
| 8.00 | 3,000 4,000 | 0.395 |
| 9.00 | 3,000 4,000 | 0.499 |
| 10.00 | 3,000 4,000 | 0.617 |
| 11.00 | 3,000 4,000 | 0.746 |
| 12.00 | 3,000 4,000 | 0.888 |
| 12.70 | 4,000 | 0.997 |
| 13.00 | 3,000 4,000 | 1.040 |
| 14.00 | 3,000 4,000 | 1.210 |
| 15.00 | 3,000 4,000 | 1.390 |
| 15.87 | 4,000 | 1.550 |
| 16.00 | 3,000 4,000 | 1.580 |
| 17.00 | 3,000 4,000 | 1.780 |
| 18.00 | 3,000 4,000 | 2.000 |

| 寸法 | 長さ (mm) | kg/m |
|-------|-------------------------|-------|
| 19.00 | 3,000 4,000 | 2.230 |
| 20.00 | 3,000 4,000 | 2.470 |
| 21.00 | 3,000 | 2.720 |
| 22.00 | 3,000 4,000 | 2.980 |
| 23.00 | 3,000 | 3.260 |
| 24.00 | 3,000 4,000 | 3.550 |
| 25.00 | 3,000 4,000 6,000 | 3.850 |
| 26.00 | 3,000 | 4.170 |
| 27.00 | 3,000 | 4.490 |
| 28.00 | 3,000 6,000 | 4.830 |
| 30.00 | 3,000 4,000 6,000 | 5.550 |
| 32.00 | 3,000 6,000 | 6.310 |
| 34.00 | 3,000 6,000 | 7.132 |
| 35.00 | 3,000 6,000 | 7.133 |
| 36.00 | 3,000 6,000 | 7.996 |
| 38.00 | 3,000 6,000 | 8.900 |
| 40.00 | 3,000 6,000 | 9.870 |

| 寸法 | 長さ (mm) | kg/m |
|--------|----------------|--------|
| 42.00 | 3,000 6,000 | 10.900 |
| 44.00 | 3,000 6,000 | 11.945 |
| 45.00 | 3,000 6,000 | 12.500 |
| 46.00 | 3,000 6,000 | 13.000 |
| 48.00 | 3,000 6,000 | 14.200 |
| 50.00 | 3,000 6,000 | 15.400 |
| 55.00 | 3,000 6,000 | 18.700 |
| 60.00 | 3,000 6,000 | 22.200 |
| 65.00 | 3,000 6,000 | 26.000 |
| 70.00 | 6~6.5m | 30.200 |
| 75.00 | 6~6.5m | 34.700 |
| 80.00 | 6~6.5m | 39.500 |
| 85.00 | 6~6.5m | 44.500 |
| 90.00 | 6~6.5m | 49.900 |
| 95.00 | 6~6.5m | 55.600 |
| 100.00 | 6~6.5m | 61.700 |
| 110.00 | 6~6.5m | 74.600 |
| 120.00 | 6~6.5m | 88.800 |

SGD3 M (SS400) 六角棒の部

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 6.00 | 3,000 | 0.245 |
| 8.00 | 3,000 | 0.435 |
| 9.00 | 3,000 | 0.550 |
| 10.00 | 3,000 | 0.680 |
| 12.00 | 3,000 | 0.981 |
| 13.00 | 3,000 | 1.150 |
| 14.00 | 3,000 | 1.330 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 17.00 | 3,000 | 1.960 |
| 19.00 | 3,000 | 2.460 |
| 21.00 | 3,000 | 3.000 |
| 22.00 | 3,000 | 3.290 |
| 24.00 | 3,000 | 3.920 |
| 26.00 | 3,000 | 4.590 |
| 27.00 | 3,000 | 4.950 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|--------|
| 30.00 | 3,000 | 6.120 |
| 32.00 | 3,000 | 6.960 |
| 36.00 | 3,000 | 8.810 |
| 41.00 | 3,000 | 11.500 |
| 46.00 | 3,500 | 14.388 |

SGD3 M (SS400) 四角棒の部

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 4.00 | 2,000 | 0.126 |
| 5.00 | 2,000 | 0.196 |
| 6.00 | 4,000 | 0.283 |
| 7.00 | 4,000 | 0.385 |
| 8.00 | 4,000 | 0.502 |
| 9.00 | 4,000 | 0.636 |
| 10.00 | 4,000 | 0.785 |
| 11.00 | 4,000 | 0.950 |
| 12.00 | 4,000 | 1.130 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 13.00 | 4,000 | 1.327 |
| 14.00 | 4,000 | 1.540 |
| 15.00 | 4,000 | 1.770 |
| 16.00 | 4,000 | 2.010 |
| 17.00 | 4,000 | 2.269 |
| 18.00 | 4,000 | 2.540 |
| 19.00 | 4,000 | 2.830 |
| 20.00 | 4,000 | 3.140 |
| 22.00 | 4,000 | 3.800 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|--------|
| 25.00 | 4,000 | 4.910 |
| 30.00 | 4,000 | 7.070 |
| 32.00 | 4,000 | 8.040 |
| 35.00 | 4,000 | 9.620 |
| 38.00 | 4,000 | 11.300 |
| 40.00 | 4,000 | 12.600 |
| 50.00 | 4,000 | 19.600 |
| 55.00 | 4,000 | 23.700 |
| 60.00 | 4,000 | 28.300 |

SGD3 M (SS400) 平角棒の部

| 寸法 | 長さ (mm) | kg/m |
|---------|---------|-------|
| 3X9 | 3,000 | 0.212 |
| 3X13 | 3,000 | 0.306 |
| 3X16 | 3,000 | 0.377 |
| 3X19 | 3,000 | 0.447 |
| 3X22 | 3,000 | 0.518 |
| 3X25 | 4,000 | 0.589 |
| 3X32 | 4,000 | 0.754 |
| 3X38 | 4,000 | 0.895 |
| 3X50 | 4,000 | 1.180 |
| 4.5X13 | 3,000 | 0.459 |
| 4.5X16 | 3,000 | 0.565 |
| 4.5X19 | 3,000 | 0.671 |
| 4.5X22 | 3,000 | 0.777 |
| 4.5X25 | 4,000 | 0.883 |
| 4.5X32 | 4,000 | 1.130 |
| 4.5X38 | 4,000 | 1.340 |
| 4.5X50 | 4,000 | 1.770 |
| 4.5X65 | 4,000 | 2.296 |
| 4.5X100 | 4,000 | 3.532 |
| 4.5X125 | 4,000 | 4.415 |
| 4.5X150 | 4,000 | 5.298 |
| 4.5X200 | 4,000 | 7.065 |
| 5X13 | 4,000 | 0.510 |
| 5X16 | 4,000 | 0.628 |
| 5X19 | 4,000 | 0.746 |
| 5X22 | 4,000 | 0.864 |
| 5X25 | 4,000 | 0.981 |
| 5X30 | 4,000 | 1.178 |
| 5X32 | 4,000 | 1.256 |
| 5X38 | 4,000 | 1.492 |
| 5X44 | 4,000 | 1.730 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|--------|
| 5X50 | 4,000 | 1.963 |
| 6X9 | 4,000 | 0.424 |
| 6X10 | 4,000 | 0.466 |
| 6X12 | 4,000 | 0.578 |
| 6X13 | 3,000 | 0.612 |
| 6X16 | 3,000 | 0.754 |
| 6X19 | 3,000 | 0.859 |
| 6X20 | 3,500 | 0.932 |
| 6X22 | 4,000 | 1.040 |
| 6X25 | 4,000 | 1.180 |
| 6X32 | 4,000 | 1.510 |
| 6X38 | 4,000 | 1.790 |
| 6X44 | 4,000 | 2.072 |
| 6X50 | 4,000 | 2.360 |
| 6X60 | 4,000 | 2.826 |
| 6X65 | 4,000 | 3.060 |
| 6X75 | 4,000 | 3.530 |
| 6X90 | 4,000 | 4.239 |
| 6X100 | 4,000 | 4.710 |
| 6X125 | 4,000 | 5.888 |
| 6X150 | 4,000 | 7.065 |
| 6X200 | 4,000 | 9.420 |
| 6X300 | 4,000 | 14.130 |
| 6X350 | 4,000 | 16.485 |
| 6X400 | 4,000 | 18.840 |
| 8X10 | 4,000 | 0.628 |
| 8X12 | 4,000 | 0.754 |
| 8X13 | 4,000 | 0.816 |
| 8X16 | 4,000 | 1.004 |
| 8X19 | 4,000 | 1.193 |
| 8X22 | 4,000 | 1.381 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|--------|
| 8X25 | 4,000 | 1.570 |
| 8X30 | 4,000 | 1.884 |
| 8X32 | 4,000 | 2.009 |
| 8X40 | 4,000 | 2.512 |
| 8X50 | 4,000 | 3.140 |
| 9X12 | 4,000 | 0.848 |
| 9X13 | 4,000 | 0.918 |
| 9X16 | 4,000 | 1.130 |
| 9X19 | 4,000 | 1.340 |
| 9X22 | 4,000 | 1.550 |
| 9X25 | 4,000 | 1.770 |
| 9X32 | 4,000 | 2.260 |
| 9X38 | 4,000 | 2.680 |
| 9X44 | 4,000 | 3.108 |
| 9X50 | 4,000 | 3.530 |
| 9X60 | 4,000 | 4.239 |
| 9X65 | 4,000 | 4.590 |
| 9X75 | 4,000 | 5.300 |
| 9X90 | 4,000 | 6.358 |
| 9X100 | 4,000 | 7.070 |
| 9X125 | 4,000 | 8.831 |
| 9X150 | 4,000 | 10.600 |
| 9X200 | 4,000 | 14.130 |
| 9X250 | 4,000 | 17.662 |
| 9X300 | 4,000 | 21.195 |
| 9X350 | 4,000 | 24.728 |
| 9X400 | 4,000 | 28.260 |
| 9X450 | 4,000 | 31.792 |
| 10X12 | 4,000 | 0.942 |
| 10X13 | 4,000 | 1.020 |
| 10X15 | 4,000 | 1.178 |

SGD3 M (SS400) 平角棒の部

| 寸法 | 長さ (mm) | kg/m |
|--------|---------|--------|
| 10X16 | 4,000 | 1.256 |
| 10X20 | 4,000 | 1.570 |
| 10X22 | 4,000 | 1.727 |
| 10X25 | 4,000 | 1.963 |
| 10X30 | 4,000 | 2.355 |
| 10X32 | 4,000 | 2.512 |
| 10X38 | 4,000 | 2.983 |
| 10X40 | 4,000 | 3.140 |
| 10X50 | 4,000 | 3.925 |
| 10X60 | 4,000 | 4.710 |
| 10X65 | 4,000 | 5.103 |
| 10X75 | 4,000 | 5.888 |
| 10X90 | 4,000 | 7.065 |
| 10X100 | 4,000 | 7.850 |
| 10X125 | 4,000 | 9.812 |
| 10X150 | 4,000 | 11.775 |
| 10X200 | 4,000 | 15.700 |
| 10X250 | 4,000 | 19.625 |
| 10X300 | 4,000 | 23.555 |
| 12X16 | 4,000 | 1.500 |
| 12X19 | 4,000 | 1.790 |
| 12X22 | 4,000 | 2.070 |
| 12X25 | 4,000 | 2.360 |
| 12X32 | 4,000 | 3.010 |
| 12X38 | 4,000 | 3.580 |
| 12X44 | 4,000 | 4.145 |
| 12X50 | 4,000 | 4.710 |
| 12X60 | 4,000 | 5.652 |
| 12X65 | 4,000 | 6.120 |
| 12X75 | 4,000 | 7.070 |
| 12X90 | 4,000 | 8.478 |

| 寸法 | 長さ (mm) | kg/m |
|--------|---------|--------|
| 12X100 | 4,000 | 9.420 |
| 12X125 | 4,000 | 11.780 |
| 12X150 | 4,000 | 14.130 |
| 12X180 | 4,000 | 16.956 |
| 12X200 | 4,000 | 18.840 |
| 12X250 | 4,000 | 23.550 |
| 12X300 | 4,000 | 28.260 |
| 12X350 | 4,000 | 32.970 |
| 12X400 | 4,000 | 37.680 |
| 12X450 | 4,000 | 42.390 |
| 16X19 | 4,000 | 2.386 |
| 16X22 | 4,000 | 2.763 |
| 16X25 | 4,000 | 3.140 |
| 16X32 | 4,000 | 4.020 |
| 16X38 | 4,000 | 4.772 |
| 16X44 | 4,000 | 5.526 |
| 16X50 | 4,000 | 6.280 |
| 16X60 | 4,000 | 7.536 |
| 16X65 | 4,000 | 8.160 |
| 16X75 | 4,000 | 9.420 |
| 16X90 | 4,000 | 11.304 |
| 16X100 | 4,000 | 12.600 |
| 16X125 | 4,000 | 15.700 |
| 16X150 | 4,000 | 18.840 |
| 16X180 | 4,000 | 22.608 |
| 16X200 | 4,000 | 25.120 |
| 16X250 | 4,000 | 31.400 |
| 16X300 | 4,000 | 37.680 |
| 16X350 | 4,000 | 43.960 |
| 16X400 | 4,000 | 50.240 |
| 16X450 | 4,000 | 56.520 |

| 寸法 | 長さ (mm) | kg/m |
|--------|---------|--------|
| 19X22 | 4,000 | 3.282 |
| 19X25 | 4,000 | 3.730 |
| 19X32 | 4,000 | 4.770 |
| 19X38 | 4,000 | 5.670 |
| 19X44 | 4,000 | 6.563 |
| 19X50 | 4,000 | 7.460 |
| 19X60 | 4,000 | 8.949 |
| 19X65 | 4,000 | 9.690 |
| 19X75 | 4,000 | 11.200 |
| 19X90 | 4,000 | 13.424 |
| 19X100 | 4,000 | 14.900 |
| 19X125 | 4,000 | 18.600 |
| 19X150 | 4,000 | 22.400 |
| 19X180 | 4,000 | 26.847 |
| 19X200 | 4,000 | 29.830 |
| 19X250 | 4,000 | 37.288 |
| 19X300 | 4,000 | 44.745 |
| 19X350 | 4,000 | 52.203 |
| 19X400 | 4,000 | 59.660 |
| 19X450 | 4,000 | 67.117 |
| 22X25 | 4,000 | 4.318 |
| 22X32 | 4,000 | 5.526 |
| 22X38 | 4,000 | 6.563 |
| 22X50 | 4,000 | 8.635 |
| 22X60 | 4,000 | 10.362 |
| 22X65 | 4,000 | 11.226 |
| 22X75 | 4,000 | 12.953 |
| 22X90 | 4,000 | 15.543 |
| 22X100 | 4,000 | 17.270 |
| 22X125 | 4,000 | 21.588 |
| 22X150 | 4,000 | 25.905 |

SGD3 M (SS400) 平角棒の部

| 寸法 | 長さ (mm) | kg/m |
|--------|---------|--------|
| 22X180 | 4,000 | 31.086 |
| 22X200 | 4,000 | 34.540 |
| 22X250 | 4,000 | 43.175 |
| 22X300 | 4,000 | 51.810 |
| 22X350 | 4,000 | 60.445 |
| 22X400 | 4,000 | 69.080 |
| 25X32 | 4,000 | 6.300 |
| 25X38 | 4,000 | 7.500 |
| 25X44 | 4,000 | 8.624 |
| 25X50 | 4,000 | 9.800 |
| 25X60 | 4,000 | 11.775 |
| 25X65 | 4,000 | 12.800 |
| 25X75 | 4,000 | 14.700 |
| 25X90 | 4,000 | 17.663 |
| 25X100 | 4,000 | 19.600 |
| 25X125 | 4,000 | 24.500 |
| 25X150 | 4,000 | 29.400 |
| 25X180 | 4,000 | 35.325 |
| 25X200 | 4,000 | 39.250 |
| 25X250 | 4,000 | 49.063 |
| 25X300 | 4,000 | 58.875 |
| 25X350 | 4,000 | 68.687 |
| 25X400 | 4,000 | 78.500 |

| 寸法 | 長さ (mm) | kg/m |
|--------|---------|---------|
| 25X450 | 4,000 | 88.312 |
| 30X50 | 4,000 | 11.775 |
| 30X65 | 4,000 | 15.308 |
| 30X75 | 4,000 | 17.663 |
| 30X100 | 4,000 | 23.550 |
| 30X125 | 4,000 | 29.438 |
| 30X150 | 4,000 | 35.325 |
| 30X200 | 4,000 | 47.100 |
| 30X250 | 4,000 | 58.875 |
| 30X300 | 4,000 | 70.650 |
| 30X350 | 4,000 | 82.425 |
| 30X400 | 4,000 | 94.200 |
| 30X450 | 4,000 | 105.975 |
| 32X50 | 4,000 | 12.560 |
| 32X65 | 4,000 | 16.328 |
| 32X75 | 4,000 | 18.840 |
| 32X100 | 4,000 | 25.150 |
| 32X125 | 4,000 | 31.400 |
| 32X150 | 4,000 | 37.680 |
| 32X200 | 4,000 | 50.300 |
| 32X250 | 4,000 | 62.800 |
| 32X300 | 4,000 | 75.450 |
| 32X350 | 4,000 | 87.920 |

| 寸法 | 長さ (mm) | kg/m |
|--------|---------|---------|
| 32X400 | 4,000 | 100.480 |
| 32X450 | 4,000 | 113.040 |
| 38X50 | 4,000 | 14.915 |
| 38X65 | 4,000 | 19.390 |
| 38X75 | 4,000 | 22.373 |
| 38X100 | 4,000 | 29.830 |
| 38X125 | 4,000 | 37.288 |
| 38X150 | 4,000 | 44.745 |
| 38X200 | 4,000 | 59.660 |
| 38X250 | 4,000 | 74.576 |
| 38X300 | 4,000 | 89.490 |
| 38X350 | 4,000 | 104.405 |
| 38X450 | 4,000 | 119.320 |
| 50X65 | 4,000 | 25.512 |
| 50X75 | 4,000 | 29.438 |
| 50X100 | 4,000 | 39.250 |
| 50X125 | 4,000 | 49.062 |
| 50X150 | 4,000 | 58.875 |
| 50X200 | 4,000 | 78.500 |
| 50X250 | 4,000 | 98.125 |
| 50X300 | 4,000 | 117.750 |

S35C 丸棒の部

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 6.00 | 3,000 | 0.222 |
| 7.00 | 3,000 | 0.302 |
| 8.00 | 3,000 | 0.395 |
| 9.00 | 3,000 | 0.499 |
| 10.00 | 3,000 | 0.617 |
| 11.00 | 3,000 | 0.746 |
| 12.00 | 3,000 | 0.888 |
| 13.00 | 3,000 | 1.043 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 14.00 | 3,000 | 1.210 |
| 15.00 | 3,000 | 1.390 |
| 16.00 | 3,000 | 1.580 |
| 17.00 | 3,000 | 1.780 |
| 18.00 | 3,000 | 2.000 |
| 19.00 | 3,000 | 2.230 |
| 20.00 | 3,000 | 2.470 |
| 22.00 | 3,000 | 2.980 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 23.00 | 3,000 | 3.260 |
| 24.00 | 3,000 | 3.550 |
| 25.00 | 3,000 | 3.850 |
| 28.00 | 3,000 | 4.830 |
| 30.00 | 3,000 | 5.550 |
| 32.00 | 3,000 | 6.310 |

S45C 丸棒の部

| 寸法 | 長さ (mm) | kg/m |
|-------|--------------|-------|
| 4.00 | 2,000 | 0.099 |
| 5.00 | 2,000 | 0.154 |
| 6.00 | 3,000 | 0.222 |
| 7.00 | 3,000 | 0.302 |
| 8.00 | 3000 4000 | 0.395 |
| 9.00 | 3,000 | 0.499 |
| 10.00 | 3000 4000 | 0.617 |
| 12.00 | 3000 4000 | 0.888 |
| 12.10 | 3,000 | 0.903 |
| 12.20 | 3,000 | 0.917 |
| 13.00 | 3,000 | 1.040 |
| 14.00 | 3000 4000 | 1.210 |
| 14.20 | 3,000 | 1.244 |
| 15.00 | 3000 4000 | 1.390 |
| 15.20 | 3,000 | 1.426 |
| 16.00 | 3000 4000 | 1.580 |
| 16.20 | 3,000 | 1.619 |
| 17.00 | 3,000 | 1.780 |
| 18.00 | 3000 4000 | 2.000 |
| 19.00 | 3000 4000 | 2.230 |
| 20.00 | 3000 4000 | 2.470 |
| 20.20 | 3,000 | 2.518 |
| 21.00 | 3,000 | 2.720 |
| 22.00 | 3000 4000 | 2.980 |
| 23.00 | 3,000 | 3.260 |

| 寸法 | 長さ (mm) | kg/m |
|-------|------------------|--------|
| 24.00 | 3,000 | 3.550 |
| 25.00 | 3000 6000 | 3.850 |
| 25.20 | 3,000 | 3.918 |
| 26.00 | 3000 6000 | 4.170 |
| 27.00 | 3,000 | 4.490 |
| 28.00 | 3000 6000 | 4.830 |
| 30.00 | 3000 6000 | 5.550 |
| 32.00 | 3000 6000 | 6.310 |
| 34.00 | 3000 6000 | 7.130 |
| 35.00 | 3000 6000 | 7.550 |
| 35.20 | 6.0~6.5m | 7.645 |
| 36.00 | 3000 6000 | 7.990 |
| 38.00 | 3000 6000 | 8.900 |
| 40.00 | 3000 6.0~6.5m | 9.870 |
| 40.20 | 6.0~6.5m | 9.971 |
| 42.00 | 3000 6.0~6.5m | 10.900 |
| 44.00 | 3000 6.0~6.5m | 11.900 |
| 45.00 | 3000 6.0~6.5m | 12.500 |
| 45.20 | 6.0~6.5m | 12.606 |
| 46.00 | 3000 6.0~6.5m | 13.000 |
| 48.00 | 3000 6.0~6.5m | 14.200 |

| 寸法 | 長さ (mm) | kg/m |
|--------|------------------|--------|
| 50.00 | 3000 6.0~6.5m | 15.400 |
| 50.20 | 6.0~6.5m | 15.549 |
| 55.00 | 3000 6.0~6.5m | 18.700 |
| 60.00 | 6.0~6.5m | 22.200 |
| 65.00 | 6.0~6.5m | 26.000 |
| 70.00 | 6.0~6.5m | 30.200 |
| 75.00 | 6.0~6.5m | 34.700 |
| 80.00 | 6.0~6.5m | 39.500 |
| 85.00 | 6.0~6.5m | 44.500 |
| 90.00 | 6.0~6.5m | 49.900 |
| 95.00 | 6.0~6.5m | 55.600 |
| 100.00 | 6.0~6.5m | 61.700 |
| 110.00 | 6.0~6.5m | 74.600 |
| 120.00 | 6.0~6.5m | 88.800 |

S45C 六角棒の部

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 8.00 | 3,000 | 0.435 |
| 10.00 | 3,000 | 0.680 |
| 12.00 | 3,000 | 0.981 |
| 13.00 | 3,000 | 1.149 |
| 14.00 | 3,000 | 1.330 |
| 17.00 | 3,000 | 1.965 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 19.00 | 3,000 | 2.460 |
| 21.00 | 3,000 | 3.000 |
| 22.00 | 3,000 | 3.290 |
| 24.00 | 3,000 | 3.920 |
| 26.00 | 3,600 | 4.590 |
| 27.00 | 3,000 | 4.950 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|--------|
| 30.00 | 3,000 | 6.120 |
| 32.00 | 3,000 | 6.960 |
| 36.00 | 3,000 | 8.810 |
| 41.00 | 3,000 | 11.500 |
| 46.00 | 3,500 | 14.400 |

S45C $\text{\textcircled{H}}$ (HRC13.8 ~ 27.6 調質材) (素材硬度) 丸棒の部

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 10.00 | 3,000 | 0.617 |
| 12.00 | 3,000 | 0.888 |
| 13.00 | 3,000 | 1.040 |
| 14.00 | 3,000 | 1.210 |
| 15.00 | 3,000 | 1.390 |
| 16.00 | 3,000 | 1.580 |
| 17.00 | 3,000 | 1.780 |
| 18.00 | 3,000 | 2.000 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 20.00 | 3,000 | 2.470 |
| 22.00 | 3,000 | 2.980 |
| 24.00 | 3,000 | 3.554 |
| 25.00 | 3,000 | 3.850 |
| 26.00 | 3,000 | 4.171 |
| 28.00 | 3,000 | 4.830 |
| 30.00 | 3,000 | 5.550 |
| 32.00 | 3,000 | 6.310 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|--------|
| 34.00 | 3,000 | 7.130 |
| 35.00 | 3,000 | 7.550 |
| 36.00 | 3,000 | 7.990 |
| 40.00 | 3,000 | 8.900 |
| 45.00 | 3,000 | 12.494 |
| 50.00 | 3,000 | 15.400 |

S45CL(S45CF) 丸棒の部

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 4.00 | 3,000 | 0.099 |
| 5.00 | 3,000 | 0.154 |
| 6.00 | 3,000 | 0.222 |
| 7.00 | 3,000 | 0.302 |
| 8.00 | 3,000 | 0.395 |
| 9.00 | 3,000 | 0.499 |
| 10.00 | 3,000 | 0.617 |
| 11.00 | 3,000 | 0.746 |
| 12.00 | 3,000 | 0.888 |
| 12.20 | 3,000 | 0.918 |
| 13.00 | 3,000 | 1.040 |
| 13.20 | 3,000 | 1.075 |
| 14.00 | 3,000 | 1.210 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 14.20 | 3,000 | 1.243 |
| 15.00 | 3,000 | 1.390 |
| 16.00 | 3,000 | 1.580 |
| 16.20 | 3,000 | 1.619 |
| 17.00 | 3,000 | 1.783 |
| 18.00 | 3,000 | 2.000 |
| 19.00 | 3,000 | 2.460 |
| 20.00 | 3,000 | 2.470 |
| 21.00 | 3,000 | 2.720 |
| 22.00 | 3,000 | 2.980 |
| 23.00 | 3,000 | 3.260 |
| 24.00 | 3,000 | 3.550 |
| 25.00 | 3,000 | 3.850 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|--------|
| 26.00 | 3,000 | 4.170 |
| 28.00 | 3,000 | 4.830 |
| 30.00 | 3,000 | 5.558 |
| 32.00 | 3,000 | 6.310 |
| 34.00 | 3,000 | 7.130 |
| 35.00 | 3,000 | 7.550 |
| 36.00 | 3,000 | 7.990 |
| 38.00 | 3,000 | 8.900 |
| 40.00 | 3,000 | 9.870 |
| 42.00 | 3,000 | 10.900 |
| 45.00 | 3,000 | 12.500 |
| 50.00 | 3,000 | 15.400 |

S45CL(S45CF) 六角棒の部

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 10.00 | 3,000 | 0.680 |
| 12.00 | 3,000 | 0.981 |
| 13.00 | 3,000 | 1.150 |
| 14.00 | 3,000 | 1.330 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 17.00 | 3,000 | 1.960 |
| 19.00 | 3,000 | 2.460 |
| 21.00 | 3,000 | 3.000 |
| 22.00 | 3,000 | 3.290 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 24.00 | 3,000 | 3.620 |
| 27.00 | 3,000 | 4.950 |

SUM32L (M-3 相当) 丸棒の部

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 6.00 | 3,000 | 0.222 |
| 7.00 | 3,000 | 0.302 |
| 8.00 | 3,000 | 0.395 |
| 9.00 | 3,000 | 0.499 |
| 10.00 | 3,000 | 0.617 |
| 11.00 | 3,000 | 0.746 |
| 12.00 | 3,000 | 0.888 |
| 13.00 | 3,000 | 1.040 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 14.00 | 3,000 | 1.210 |
| 15.00 | 3,000 | 1.390 |
| 16.00 | 3,000 | 1.580 |
| 17.00 | 3,000 | 1.780 |
| 18.00 | 3,000 | 2.000 |
| 19.00 | 3,000 | 2.230 |
| 20.00 | 3,000 | 2.470 |
| 22.00 | 3,000 | 2.980 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|--------|
| 24.00 | 3,000 | 3.550 |
| 25.00 | 3,000 | 3.850 |
| 28.00 | 3,000 | 4.830 |
| 30.00 | 3,000 | 5.550 |
| 32.00 | 3,000 | 6.310 |
| 38.00 | 3,000 | 8.900 |
| 40.00 | 3,000 | 9.870 |
| 45.00 | 3,000 | 12.500 |

SUM23ML 丸棒の部

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 5.00 | 3,000 | 0.154 |
| 6.00 | 3,000 | 0.222 |
| 7.00 | 3,000 | 0.302 |
| 8.00 | 3,000 | 0.395 |
| 9.00 | 3,000 | 0.499 |
| 10.00 | 3,000 | 0.617 |
| 11.00 | 3,000 | 0.746 |
| 12.00 | 3,000 | 0.888 |
| 13.00 | 3,000 | 1.040 |
| 14.00 | 3,000 | 1.210 |
| 15.00 | 3,000 | 1.390 |
| 16.00 | 3,000 | 1.580 |
| 17.00 | 3,000 | 1.780 |
| 18.00 | 3,000 | 2.000 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 19.00 | 3,000 | 2.230 |
| 20.00 | 3,000 | 2.470 |
| 21.00 | 3,000 | 2.720 |
| 22.00 | 3,000 | 2.980 |
| 23.00 | 3,000 | 3.260 |
| 24.00 | 3,000 | 3.550 |
| 25.00 | 3,000 | 3.850 |
| 26.00 | 3,000 | 4.170 |
| 27.00 | 3,000 | 4.490 |
| 28.00 | 3,000 | 4.830 |
| 29.00 | 3,000 | 5.188 |
| 30.00 | 3,000 | 5.550 |
| 32.00 | 3,000 | 6.310 |
| 34.00 | 3,000 | 7.130 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|--------|
| 35.00 | 3,000 | 7.550 |
| 36.00 | 3,000 | 7.990 |
| 38.00 | 3,000 | 8.900 |
| 40.00 | 3,000 | 9.870 |
| 42.00 | 3,000 | 10.900 |
| 45.00 | 3,000 | 12.500 |
| 48.00 | 3,000 | 14.200 |
| 50.00 | 3,000 | 15.400 |
| 55.00 | 3,000 | 18.700 |
| 60.00 | 3,000 | 22.200 |
| 65.00 | 3,000 | 26.000 |
| 70.00 | 3,000 | 30.200 |
| 75.00 | 3,000 | 34.700 |

SUM23ML 六角棒の部

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 8.00 | 3,000 | 0.435 |
| 10.00 | 3,000 | 0.680 |
| 12.00 | 3,000 | 0.981 |
| 13.00 | 3,000 | 1.150 |
| 14.00 | 3,000 | 1.330 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 17.00 | 3,000 | 1.980 |
| 19.00 | 3,000 | 2.473 |
| 21.00 | 3,000 | 3.000 |
| 22.00 | 3,000 | 3.299 |
| 24.00 | 3,000 | 3.920 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 26.00 | 3,000 | 4.590 |
| 27.00 | 3,000 | 4.950 |
| 30.00 | 3,000 | 6.120 |
| 32.00 | 3,000 | 6.960 |

SUM24L 丸棒の部

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 5.00 | 3,000 | 0.154 |
| 6.00 | 3,000 | 0.222 |
| 7.00 | 3,000 | 0.302 |
| 8.00 | 3,000 | 0.395 |
| 9.00 | 3,000 | 0.499 |
| 10.00 | 3,000 | 0.617 |
| 11.00 | 3,000 | 0.746 |
| 12.00 | 3,000 | 0.888 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 13.00 | 3,000 | 1.040 |
| 14.00 | 3,000 | 1.210 |
| 15.00 | 3,000 | 1.390 |
| 16.00 | 3,000 | 1.580 |
| 17.00 | 3,000 | 1.780 |
| 18.00 | 3,000 | 2.000 |
| 19.00 | 3,000 | 2.473 |
| 20.00 | 3,000 | 2.470 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 22.00 | 3,000 | 2.980 |
| 25.00 | 3,000 | 3.850 |
| 26.00 | 3,000 | 4.590 |
| 28.00 | 3,000 | 4.837 |
| 30.00 | 3,000 | 6.120 |
| 35.00 | 3,000 | 7.558 |

SUM22 丸棒の部

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 6.00 | 3,000 | 0.222 |
| 8.00 | 3,000 | 0.395 |
| 9.00 | 3,000 | 0.499 |
| 10.00 | 3,000 | 0.617 |
| 11.00 | 3,000 | 0.746 |
| 12.00 | 3,000 | 0.888 |
| 13.00 | 3,000 | 1.040 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 14.00 | 3,000 | 1.210 |
| 15.00 | 3,000 | 1.390 |
| 16.00 | 3,000 | 1.580 |
| 17.00 | 3,000 | 1.780 |
| 18.00 | 3,000 | 2.000 |
| 19.00 | 3,000 | 2.473 |
| 20.00 | 3,000 | 2.470 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 22.00 | 3,000 | 2.980 |
| 24.00 | 3,000 | 3.553 |
| 25.00 | 3,000 | 3.850 |
| 28.00 | 3,000 | 4.837 |
| 30.00 | 3,000 | 5.550 |
| 32.00 | 3,000 | 6.310 |

SCM415 (SCM21) 丸棒の部

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 6.00 | 3,000 | 0.222 |
| 6.20 | 3,000 | 0.237 |
| 7.00 | 3,000 | 0.302 |
| 8.00 | 3,000 | 0.395 |
| 8.20 | 3,000 | 0.415 |
| 9.20 | 3,000 | 0.522 |
| 10.00 | 3,000 | 0.617 |
| 10.20 | 3,000 | 0.642 |
| 11.00 | 3,000 | 0.746 |
| 12.00 | 3,000 | 0.888 |
| 12.20 | 3,000 | 0.918 |
| 13.00 | 3,000 | 1.040 |
| 14.00 | 3,000 | 1.210 |
| 14.20 | 3,000 | 1.243 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 15.00 | 3,000 | 1.390 |
| 16.00 | 3,000 | 1.580 |
| 16.20 | 3,000 | 1.619 |
| 17.00 | 3,000 | 1.780 |
| 18.00 | 3,000 | 2.000 |
| 18.20 | 3,000 | 2.043 |
| 19.00 | 3,000 | 2.230 |
| 20.00 | 3,000 | 2.470 |
| 20.20 | 3,000 | 2.517 |
| 21.00 | 3,000 | 2.720 |
| 22.00 | 3,000 | 2.980 |
| 23.00 | 3,000 | 3.260 |
| 24.00 | 3,000 | 3.550 |
| 25.00 | 3,000 | 3.850 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 25.20 | 3,000 | 3.918 |
| 26.00 | 3,000 | 4.170 |
| 26.20 | 3,000 | 4.235 |
| 28.00 | 3,000 | 4.830 |
| 28.20 | 3,000 | 4.906 |
| 30.00 | 3,000 | 5.550 |
| 30.20 | 3,000 | 5.627 |
| 32.00 | 3,000 | 6.310 |
| 34.00 | 3,000 | 7.130 |
| 36.00 | 3,000 | 7.990 |
| 38.00 | 3,000 | 8.900 |
| 40.00 | 3,000 | 9.870 |

SCM415L (SCM415F・SCM21F) 丸棒の部

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 6.00 | 3,000 | 0.245 |
| 7.00 | 3,000 | 0.302 |
| 8.00 | 3,000 | 0.395 |
| 8.20 | 3,000 | 0.415 |
| 9.00 | 3,000 | 0.499 |
| 10.00 | 3,000 | 0.617 |
| 10.20 | 3,000 | 0.642 |
| 11.00 | 3,000 | 0.746 |
| 12.00 | 3,000 | 0.888 |
| 12.20 | 3,000 | 0.918 |
| 13.00 | 3,000 | 1.040 |
| 13.20 | 3,000 | 1.075 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 14.00 | 3,000 | 1.210 |
| 14.20 | 3,000 | 1.244 |
| 15.00 | 3,000 | 1.390 |
| 15.20 | 3,000 | 1.426 |
| 16.00 | 3,000 | 1.580 |
| 16.20 | 3,000 | 1.619 |
| 17.00 | 3,000 | 2.230 |
| 18.00 | 3,000 | 2.000 |
| 18.20 | 3,000 | 2.043 |
| 19.00 | 3,000 | 2.230 |
| 20.00 | 3,000 | 2.470 |
| 20.20 | 3,000 | 2.518 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 22.00 | 3,000 | 2.980 |
| 23.00 | 3,000 | 3.260 |
| 24.00 | 3,000 | 3.550 |
| 25.00 | 3,000 | 3.918 |
| 26.00 | 3,000 | 4.170 |
| 27.00 | 3,000 | 4.490 |
| 28.00 | 3,000 | 4.830 |
| 30.00 | 3,000 | 5.550 |
| 32.00 | 3,000 | 6.310 |
| 34.00 | 3,000 | 7.130 |

SCM435(SCM3) 丸棒の部

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 6.00 | 3,000 | 0.222 |
| 7.00 | 3,000 | 0.302 |
| 8.00 | 3,000 | 0.395 |
| 9.00 | 3,000 | 0.499 |
| 10.00 | 3,000 | 0.617 |
| 11.00 | 3,000 | 0.746 |
| 12.00 | 3,000 | 0.888 |
| 13.00 | 3,000 | 1.040 |
| 14.00 | 3,000 | 1.210 |
| 15.00 | 3,000 | 1.390 |
| 16.00 | 3,000 | 1.580 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 17.00 | 3,000 | 1.783 |
| 18.00 | 3,000 | 2.000 |
| 19.00 | 3,000 | 2.230 |
| 20.00 | 3,000 | 2.470 |
| 21.00 | 3,000 | 2.721 |
| 22.00 | 3,000 | 2.980 |
| 23.00 | 3,000 | 3.263 |
| 24.00 | 3,000 | 3.550 |
| 25.00 | 3,000 | 3.850 |
| 26.00 | 3,000 | 4.170 |
| 28.00 | 3,000 | 4.830 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|--------|
| 30.00 | 3,000 | 5.550 |
| 32.00 | 3,000 | 6.310 |
| 34.00 | 3,000 | 7.132 |
| 35.00 | 3,000 | 7.558 |
| 36.00 | 3,000 | 7.996 |
| 38.00 | 3,000 | 8.909 |
| 40.00 | 3,000 | 9.870 |
| 42.00 | 3,000 | 10.883 |
| 45.00 | 3,000 | 12.494 |
| 50.00 | 3,000 | 15.425 |

SCM435L(SCM435F・SCM3F) 丸棒の部

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 6.00 | 3,000 | 0.222 |
| 7.00 | 3,000 | 0.302 |
| 8.00 | 3,000 | 0.395 |
| 9.00 | 3,000 | 0.499 |
| 10.00 | 3,000 | 0.617 |
| 11.00 | 3,000 | 0.746 |
| 12.00 | 3,000 | 0.888 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 13.00 | 3,000 | 1.040 |
| 14.00 | 3,000 | 1.210 |
| 15.00 | 3,000 | 1.390 |
| 16.00 | 3,000 | 1.580 |
| 17.00 | 3,000 | 2.230 |
| 18.00 | 3,000 | 2.000 |
| 19.00 | 3,000 | 2.230 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 20.00 | 3,000 | 2.470 |
| 22.00 | 3,000 | 2.980 |
| 24.00 | 3,000 | 3.550 |
| 25.00 | 3,000 | 3.850 |
| 28.00 | 3,000 | 4.830 |
| 30.00 | 3,000 | 5.550 |

SCM435 ㊦ (HRC27.6 ~ 35.5 調質材) (素材硬度) 丸棒の部

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 8.00 | 3,000 | 0.395 |
| 10.00 | 3,000 | 0.617 |
| 12.00 | 3,000 | 0.888 |
| 13.00 | 3,000 | 1.040 |
| 14.00 | 3,000 | 1.210 |
| 15.00 | 3,000 | 1.390 |
| 16.00 | 3,000 | 1.580 |
| 17.00 | 3,000 | 1.783 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 18.00 | 3,000 | 2.000 |
| 19.00 | 3,000 | 2.230 |
| 20.00 | 3,000 | 2.470 |
| 22.00 | 3,000 | 2.980 |
| 24.00 | 3,000 | 3.550 |
| 25.00 | 3,000 | 3.850 |
| 26.00 | 3,000 | 4.170 |
| 27.00 | 3,000 | 4.497 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|--------|
| 28.00 | 3,000 | 4.830 |
| 30.00 | 3,000 | 5.558 |
| 32.00 | 3,000 | 6.310 |
| 34.00 | 3,000 | 7.132 |
| 35.00 | 3,000 | 7.990 |
| 40.00 | 3,000 | 9.870 |
| 45.00 | 3,000 | 12.500 |

SUS304 丸棒の部

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 6.00 | 3,000 | 0.224 |
| 8.00 | 3,000 | 0.399 |
| 10.00 | 3,000 | 0.620 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 12.00 | 3,000 | 0.890 |
| 14.00 | 3,000 | 1.220 |
| 15.00 | 3,000 | 1.400 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 16.00 | 3,000 | 1.590 |
| 20.00 | 3,000 | 2.490 |
| 25.00 | 3,000 | 3.890 |

SUS303 丸棒の部

| 寸法 | 長さ (mm) | kg/m |
|------|---------|-------|
| 4.00 | 2,000 | 0.100 |
| 6.00 | 3,000 | 0.224 |
| 8.00 | 3,000 | 0.399 |
| 9.00 | 3,000 | 0.504 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 10.00 | 3,000 | 0.620 |
| 12.00 | 3,000 | 0.890 |
| 14.00 | 3,000 | 1.220 |
| 15.00 | 3,000 | 1.400 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 16.00 | 3,000 | 1.590 |
| 18.00 | 3,000 | 2.010 |
| 20.00 | 3,000 | 2.490 |
| 25.00 | 3,000 | 3.890 |

SK4F-G(SK ロット) 丸棒の部

| 寸法 | 長さ (mm) | kg/m |
|------|---------|-------|
| 5.00 | 2,000 | 0.154 |
| 6.00 | 2,000 | 0.222 |
| 7.00 | 2,000 | 0.302 |
| 7.20 | 2,000 | 0.320 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 8.00 | 2,000 | 0.395 |
| 10.00 | 2,000 | 0.617 |
| 12.00 | 2,000 | 0.888 |
| 15.00 | 2,000 | 1.388 |

| 寸法 | 長さ (mm) | kg/m |
|-------|---------|-------|
| 16.00 | 2,000 | 1.580 |
| 20.00 | 2,000 | 2.470 |
| 25.00 | 2,000 | 3.850 |
| | | |

CC12C14(OM24CC) 丸棒の部

クリーンカットクロム快削鋼
環境に優しい新タイプの非鉛快削鋼!!

受注生産

お問い合わせください!!